

PZ-J 533HA Aqua SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PZ-J 533HA Aqua.

CAS No. Mixtures.

EINECS No. Mixtures.

REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) Production of disposable patterns and/or sprues for use in

the art casting process. Industrial use only, not intended for

public use.

Uses advised against None known.

1.3 Details of the supplier of the Safety Data Sheet

Company Identification Precizioned® distributed/manufactured by International

Precision Casting Supplies

1570 Terex Road Hudson, Ohio 44236 +13303420407

Telephone +13303420407
E-Mail (competent person) info@precizioned.com

1.4 Emergency telephone number

Company +13303420407 (office hours: 0800 – 1700 EST)

National Poisons Information Service 111

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)Not classified as dangerous for supply/use.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name PZ-J 533HA Aqua.

Hazard pictogram(s)

Signal word(s)

Hazard statement(s)

Precautionary statement(s)

None.

None.

None.

2.3 Other hazards The molten form can cause thermal burns if in contact with

skin or eyes.

2.4 Additional Information None.

Revision: 1 Page: 1/6 Date: 11/02/2019



3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Contains: A blend of hydrocarbon waxes, resins, polymers, and oil soluble dye.

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous	%W/W	CAS No.	EC No.	REACH	Hazard pictogram(s) and	
ingredient(s)				Registration No.	Hazard statement(s)	
Paraffin waxes and	30 - 50	8002-74-2	232-315-6	01-2119488076-	None	
Hydrocarbon waxes				30-0000		

3.2 Additional Information

None.

SECTION 4: FIRST AID MEASURES



Description of first aid measures 4.1

> Inhalation Unlikely route of exposure.

> > If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

Skin Contact In case of burns immediately cool affected skin as long as

possible with cold water. Molten material can cause severe burns. Do NOT try to peel molten material from the skin.

Cool rapidly with water. Get medical attention.

Eye Contact Hold eye open and rinse slowly and gently with water for 15-

20 minutes. Get medical attention.

Wash out mouth with water. Ingestion

4.2 Most important symptoms and effects, both

acute and delayed

Molten material will adhere to the skin causing deep thermal

burns.

4.3 Indication of any immediate medical attention

and special treatment needed

Unlikely to be required but if necessary treat

symptomatically. Seek medical advice.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media**

Suitable Extinguishing Media

Extinguish preferably with foam, carbon dioxide or dry

chemical.

Unsuitable Extinguishing Media

Special hazards arising from the substance or

mixture

5.2

5.3 Advice for fire-fighters

Do not use water jet.

Decomposes in a fire giving off toxic fumes: Carbon

monoxide, Carbon dioxide.

Fire fighters should wear complete protective clothing

including self-contained breathing apparatus.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Caution - spillages may be slippery. When molten: Avoid

Revision: 1 Date: 11/02/2019 Page: 2/6



emergency procedures contact with skin and eyes. Wash hands thoroughly after

handling.

6.2 Environmental precautions Prevent release to the environment.

Methods and material for containment and cleaning upSweep up solid substance. When molten: Allow product to cool/solidify and pick up as a solid. Wipe up remainder then

remove to safe place.

6.4 Reference to other sections See Also Section: 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Provide adequate ventilation. Avoid breathing fumes. Avoid

contact with heated or molten product. Do not eat, drink or smoke when using this product. Wear suitable gloves.

7.2 Conditions for safe storage, including any incompatibilities
Keep container tightly closed and dry. This product should be stored away from sources of strong heat, direct sunlight

or oxidising chemicals.

Storage Temperature 5 - 30°C

Storage Life Stable under normal conditions.

Incompatible materials Strong oxidising agents.

7.3 Specific end use(s) Avoid heating above 100°C (212°F) during the casting

process (except for dewax operations). Do not allow unused molten material to stand in melt tanks and injection

equipment. Stir molten material at all times.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits Paraffin wax fumes may be released from the product when

in the molten state.

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA ma/m³)	STEL (ppm)	STEL (mg/m³)	Note
		ppiii)	mg/m/)	(ppiii)	(ilig/ili [*])	
Paraffin waxes and	8002-74-2	-	2	-	6	WEL
Hydrocarbon waxes						

Source: WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation. A washing facility/water for

eye and skin cleaning purposes should be present.

8.2.2 Personal protection equipment

Eye/face protection Wear eye/face protection.

Skin protection (Hand protection/ Other)

Not normally required.

Wear suitable gloves if prolonged skin contact is likely.

Revision: 1 Page: 3/6 Date: 11/02/2019





Respiratory protection

Thermal hazards

(i)

When molten: Wear insulating gloves EN407 (heat), and

No personal respiratory protective equipment normally required. Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is

eye protection.

likely.

8.2.3 Environmental Exposure Controls Prevent release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Solid (Wax). Colour Blue. Odour Waxy. Odour Threshold Not available. Not applicable. pН Melting Point/Freezing Point ~67.8°C (154°F) Initial boiling point and boiling range Not available. Flash point >185°C [Open cup] Evaporation rate Not applicable. Flammability (solid, gas) Non-flammable. Upper/lower flammability or explosive limits Not applicable. Not applicable. Vapour pressure Not applicable. Vapour density 0.9522 @ 77°F Relative density Solubility(ies) Insoluble in water.

Auto-ignition temperature

Decomposition Temperature

Viscosity

Salabele

Not available.

Not available.

335cPs @ 160°F

Explosive properties

Not explosive.

Oxidising properties

Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

Partition coefficient: n-octanol/water

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

Not available.

10.4 Conditions to avoid Heat and direct sunlight.
 10.5 Incompatible materials Strong oxidising agents.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Revision: 1 Page: 4/6 Date: 11/02/2019



11.1.1 Mixtures

Acute toxicity Low acute toxicity.

Irritation Non-irritant.

Corrosivity The molten form can cause thermal burns if in contact with

skin or eyes.

Sensitisation It is not a skin sensitiser. **Repeated dose toxicity** None anticipated.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproductionNone anticipated.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Low toxicity to aquatic organisms.

12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 No information available.
 No information available.

12.4 Mobility in soil Insoluble in water. The product is predicted to have low

mobility in soil.

12.5 Results of PBT and VPVB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose at suitable refuse site.

13.2 Additional Information Disposal should be in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

Not applicable. 14.1 **UN** number 14.2 **UN Proper Shipping Name** Not applicable. 14.3 Transport hazard class(es) Not applicable. 14.4 **Packing Group** Not applicable. **Environmental hazards** Not applicable. 14.5 Special precautions for user Not applicable. 14.6 Transport in bulk according to Annex II of Not applicable. MARPOL73/78 and the IBC Code

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XIV List of substances subject to

authorisation

autionsation

REACH: ANNEX XVII Restrictions on the manufacture, placing on the market and use of

All chemicals are not listed.

All chemicals are not listed.

Revision: 1 Page: 5/6 Date: 11/02/2019



certain dangerous substances, mixtures and articles

Community Rolling Action Plan (CoRAP) **15.1.2 National regulations**

All chemicals are not listed.

None known. Not available.

15.2 Chemical Safety Assessment

16. SECTION 16: OTHER INFORMATION

Revision Information: New SDS

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PVB very Persistent and very Bioaccumulative

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Precizioned® distributed/manufactured by International Precision Casting Supplies gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Precizioned® distributed/manufactured by International Precision Casting Supplies accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Revision: 1 Page: 6/6 Date: 11/02/2019